

## INDEX TO VOLUME XXXIV.

[New generic, specific, and subspecific names are printed in heavy face type.]

- ACANTHIS* *cannabina persica*, 105.  
     *c. taurica*, 105.  
     *exilipes*, 44, 158.  
     *hornemanni*, 44.  
     *h. exilipes*, 487.  
     *linaria*, 401.  
     *l. exilipes*, 44.  
     *l. linaria*, 44, 93, 217, 218, 219, 409, 487.  
*Acanthiza* *flavolateralis*, 500.  
*Accipiter* *cooperi*, 38, 64.  
     *velox*, 37, 217, 266.  
*Actites* *macularia*, 37, 58, 265, 441.  
     *hypoleuca*, 200.  
*Æhmophorus* *occidentalis*, 30.  
*Ægialitis* *meloda*, 266.  
     *semipalmata*, 37, 399, 440.  
*Æstelata* *vociferans*, 98.  
*Æthia*, 229.  
     *crystalata*, 406.  
     *pusilla*, 406.  
*Agelaius* *phœniceus caurinus*, 43.  
     *p. floridanus*, 204.  
     *p. grinnelli*, 196-197.  
     *p. phœniceus*, 204.  
     *p. predicatorius*, 204.  
     *p. richmondi*, 197.  
     *p. sonoriensis*, 197.  
*Aix sponsa*, 33, 207.  
*Alabama*, birds of, 456.  
*Alæmon* *alaudipes boavistæ*, 500.  
*Alaska*, birds of, 147-159, 163, 191, 195, 210, 394-402.  
*Alca* *crystalata*, 230.  
*Alectoris*, 503.  
     *græca falki*, 503.  
     *g. cypriotis*, 503.  
     *heyi intermedia*, 503.  
     *Alle alle*, 437.  
     Allen, Francis H., the Migrant Shrike near Boston, 89.  
     Allen, J. A., bibliography and autobiography of, noticed, 221.  
     *Alphapuffinus*, 472.  
     *Aluco pratincola*, 209.  
     *Amazona vittata gracilipes*, 59.  
     American Ornithologists' Union, thirty-fourth stated meeting of, 76-85; thirty-fifth stated meeting, 514.  
     *Amizilis salvini*,  
     *Ammodramus savannarum borinquensis*, 366.  
     *Anas bahamensis*, 199.  
         *obscura*, 192.  
         *o. rubripes*, 192.  
         *platyrhynchos*, 33, 206, 398, 408, 438.  
         *rubripes*, 193, 265.  
         *r. tristis*, 192, 194.  
         *tzitzihua*, 200.  
     *Anatidæ*, 415.  
     *Ani*, 59.  
     *Anomalospiza*, 348.  
     *Anser albifrons gambeli*, 34, 154.  
     *Anthreptes malaccensis*,  
     *Anthus phillipsi*, 493.  
         *rubescens*, 47, 402, 444.  
         *trivialis haringtoni*, 362.  
     *Antrostomus vociferus arizonæ*, 203.  
         *v. macromystax*, 203.  
         *v. vociferus*, 203.  
     *Apalis jacksoni minor*, 235.  
         *ansorgei*, 235.  
     *Aphelocoma californica immanis*, 499.

- Aphelocoma cyanotis*, 499.  
     *insularis*, 499.  
     *texana*, 499.  
*Aquila chrysaetos*, 38, 65, 477.  
*Archibuteo lagopus sancti-johannis*,  
     38, 93, 400, 454.  
*Archilochus alexandri*, 41.  
 'Ardea,' review of, 105, 364.  
*Ardea herodias fannini*, 35.  
     *h. herodias*, 265.  
     *h. hyperonca*, 200.  
     *h. occidentalis*, 86.  
     *h. wardi*, 86.  
     *occidentalis*, 86.  
     *sellardsi*, 357.  
     *würdemanni*, 86.  
*Ardenna*, 471.  
     *carneipes*, 475.  
     *creatopus*, 475.  
     *gravis*, 475.  
*Arenaria interpres interpres*, 200,  
     441.  
     *i. morinella* 37, 58, 463.  
     *i. oahuensis*, 200, 409.  
     *melanocephala*, 96, 155, 399.  
 Argentina, birds of, 294-296, 355.  
 Arkansas, birds of, 87.  
*Arquatella maritima maritima*, 441.  
     *m. ptilocnemis*, 409.  
*Asio flammeus*, 39, 266, 442.  
     *noctipetens*, 99.  
     *wilsonianus*, 39.  
*Astragalinus tristis pallidus*, 50.  
     *t. salicamans*, 50, 213.  
     *t. tristis*, 267.  
*Astur atricapillus atricapillus*, 38,  
     64, 442, 487.  
     *a. striatulus*, 38, 336.  
*Asyndesmus lewisi*, 41.  
*Attila caniceps*, 224.  
     *neoxenus*, 225.  
 Audubon, J. J., 133, 448; description  
     of, 239.  
 Auklet, Crested, 406.  
     Least, 406.  
     Paroquet, 406.  
 Auk, Razor-billed, 141, 142.  
 'Avicultural Magazine,' reviewed,  
     104, 235, 362.  
*BÆOLOPHUS inornatus murinus*, 322.  
     *wollweberi annexus*, 323.  
 Bailey, B. H., description of a new  
     subspecies of the Broad-winged  
     Hawk, 73-75; the Western Gos-  
     hawk (*Astur atricapillus striatu-*  
     *lus*) in Iowa, 336; obituary notice  
     of, 512.  
 Bailey, Florence Merriam, notice  
     of her 'Handbook of Birds of the  
     Western United States', 7th edi-  
     tion, 350.  
 Bailey, S. W., Killdeer (*Oxyechus*  
     *vociferus vociferus*) in Massa-  
     chusetts, 207; Migrant Shrike  
     (*Lanius ludovicianus migrans*) at  
     Newburyport, Mass., 214; Prairie  
     Horned Lark (*Otocoris alpestris*  
     *praticola*) nesting at Newbury-  
     port, Mass., 338.  
 Bahamas, birds of, 209.  
 Balanosphyrha, 205.  
     *formicivora aculeata*, 203.  
     *f. angustifrons*, 203.  
     *f. bairdi*, 203.  
     *f. formicivora*, 203.  
 Baldpate, 33, 303, 305, 398, 418.  
 Bancroft, W. F., see Palmer, T. S.  
 Bannermania, 465.  
 Barrows, Walter B., Northern Phal-  
     aroep in Michigan, 336.  
 Bartram, William, 277.  
*Bartramia longicauda*, 441, 463.  
 Bartsch, Paul, relationship of Flor-  
     ida herons, 86; destruction of  
     Passenger Pigeons in Arkansas, 87.  
 Bayliss, Clara Kern, a remarkable  
     case of bird-feeding, 90-91.  
 Beal, Foster Ellenborough Las-  
     celles, obituary notice of, 112; life  
     and writings of, 243-364, diary of,  
     450.

- Belding, L., manuscripts of, 449.  
Bendire, C., correspondence of, 450.  
Bergtold, W. H., regurgitation in the Bohemian Waxwing, 341; an early Colorado record of the White-tailed Ptarmigan, 334; the State-colored Junco in Colorado, 480; review of his 'A Study of the Incubation Periods of Birds,' 488.  
Berlandier, J. L., 450.  
Betts, Norman DeW., obituary notice of, 377.  
Bibliography of ornithology, 445.  
Bicknell, Eugene P., the Acadian Chickadee on Long Island, 91; late southward migration of the Cape May Warbler on Long Island, 483.  
Biography of Ornithologists, 445.  
Bird conservation, recent publications on, 101.  
'Bird Notes,' reviewed, 104, 363.  
'Bird Notes and News' reviewed, 363.  
'Bird-Lore,' reviewed, 102, 233, 359.  
Bishop, S. C. and Wright, A. H., note on the Passenger Pigeon, 208.  
Bittern, 35, 265, 301, 476.  
    Least, 299, 358, 462.  
Blackbird, Brewer's, 43.  
    Rusty, 267, 301.  
    Yellow-headed, 43.  
    Porto Rican, 62.  
Bluebird, 275.  
    Mountain, 49.  
    Western, 49.  
'Blue-Bird,' reviewed, 102, 361.  
Blue-throat, Siberian Red-spotted, 159.  
Bobolink, 43, 301.  
    Bob-white, 418.  
Bodine, Donaldson, obituary notice of, 115.  
Bolivia, birds of, 224.  
Bombycilla cedrorum, 46, 213, 268, 455.  
Bombycilla garrula, 46, 66, 212, 455.  
    g. centralasiæ, 332.  
    g. garrula, 331.  
    g. palidiceps, 333.  
Bonaparte, Charles L., 280, 449.  
Bonasa umbellus sabini, 37.  
    u. togata, 37, 266.  
Booby, 56.  
Botaurus lentiginosus, 35, 265, 476.  
Bourne, Thomas L., the Barn Owl (*Aluco pratincola*) in western New York, 209.  
Bowdish, B. S., see Philipp, P. B.  
Bowles, J. H., coloration of down in adult ducks, 207; notes on Kennicott's Screech Owl (*Otus asio kennicotti*) in the Puget Sound region, 422-427.  
Boyle, Howarth S., field notes on the Seriema (*Chunga burmeisteri*), 294-296.  
Brachyramphus marmoratus, 396.  
Brachyspiza antillarum, 99.  
    capensis, 99.  
Bradypterus grandis, 235.  
Brant, 265, 440.  
Branta bernicla glaucogastra, 265, 365, 440.  
    canadensis canadensis, 34, 334, 440, 462.  
    c. hutchinsi, 34.  
    c. minima, 34.  
    c. occidentalis, 34, 50.  
Brimley, C. S., thirty-two years of bird migration at Raleigh, N. C., 296-308.  
'British Birds,' reviewed, 104, 235, 362.  
British Board of Agriculture, notice of their reports on the food of the Rook, Chaffinch and Starling, 101; notice of report.  
British Columbia, birds of, 28-50, 69, 195.  
British Ornithologists' Club, review of 'Bulletin,' 103, 235, 361.  
Brockway, Arthur W., Canada

- Warbler (*Wilsonia canadensis*) nesting in southern Connecticut, 344.
- Brooks, Allan, birds of the Chilliwack district, B. C., 28-50.
- Brooks, Earle A., notice of his Game Birds of West Virginia, 225; notice of his 'The Food of West Virginia Birds,' 493.
- Brooks, W. Sprague, a new record for New England, 86; the possibility of *Puffinus bermudæ* Nichols & Mowbray in the North Atlantic, 206; notice of his 'Notes on Some Falkland Island Birds,' 492.
- Brotogerys jugularis exsul, 503.
- Brown, Edward J., the San Lucas Sparrow (*Passerculus rostratus guttatus*) in California, 340.
- Brown, Nathan Clifford, note on the Bronzed Grackle in Maine, 210; *Penthestes hudsonicus* at Portland, Maine, 215; Evening Grosbeak at Lakewood, N. J., 479.
- Browning, Wm. H., Sparrow Hawks nesting in a bird house, 478.
- Brünnich, M. T., 451.
- Bryan, William Alanson, description of *Telespiza ultima* from Nihoa Island, 70-72.
- Bryant, H. C., notice of his 'Food of the Roadrunner in California,' 100.
- Bubo virginianus algestus, 157.  
     v. arcticus, 469.  
     v. elutus, 225.  
     v. lagophonus, 157, 213.  
     v. neochorus, 202.  
     v. occidentalis, 213.  
     v. pallascens, 40.  
     v. saturatus, 40, 157, 213.  
     v. subarcticus, 469.  
     v. wapacuthu, 213, 469.
- Budytes flavus alascensis, 410.
- Buffle-head, 34, 305, 418, 439.
- Bunker, C. D., American Goshawks in Kansas, 87.
- Bunting, Indigo, 299.  
     Lazuli, 46.  
     Lark, 455.  
     McKay's Snow, 410.  
     Painted, 346.  
     Snow, 44, 93, 217, 401, 442.
- Burleigh, Thos. D., the Hudsonian Chickadee (*Penthestes hudsonicus* subsp.?) in Lycoming County, Pa., 344.
- Burns, Frank L., Miss Lawson's recollections of ornithologists, 275-282.
- Burtch, Verdi, nesting of the Florida Gallinule, 319-321.
- Bush-Tit, 48.
- Buteo borealis, 57.  
     l. lineatus, 64.  
     l. elegans, 38.  
     platypterus iowensis, 73-75.  
     swainsoni, 38.
- Butler, Edward Arthur, obituary notice of, 114.
- Butorides virescens cubanus, 57.  
     v. virescens, 440.
- CACATOES, 353.
- Caccabis, 503.
- Calamanthus campestris hartogi, 104.
- Calamospiza melanocorys, 455.
- Calcarius lapponicus alascensis, 44, 410.  
     l. lapponicus, 401, 442.
- Calidris leucophæa, 37, 441.
- California, birds of, 100, 194, 308-318, 340, 427, 489.
- Callæops periophthalmica, 216.
- Callipepla squamata squamata, 453.
- Callocephalon, 353.
- Callocorydon, 354.  
     fimbriatus superior, 354.

- Calonectris, 471.  
    kuhlii borealis, 475.  
Calyptorhynchus banksii samueli,  
    354.  
Canutus canutus rufus, 200.  
Canvas-back, 33, 207, 439.  
Caprimulgus minor, 88.  
    virginianus, 88.  
Cardinal, 455.  
Cardinalis cardinalis cardinalis, 443,  
    455.  
Carib, Green, 60.  
Carpodacus purpureus californicus,  
    43.  
    p. purpureus, 66, 267.  
    'Cassinia,' noticed, 358.  
Catbird, 48, 299, 386.  
Catharista urubu, 478.  
Cathartes aura septentrionalis, 37,  
    442.  
Celeus innotatus, 225.  
Centurus carolinus, 66, 219.  
Cepphus columba, 396, 406.  
    snowi, 191.  
Cerchneis, 201.  
    area, 366.  
    alopez eremica, 366.  
    sparveria paula, 201.  
    s. peninsularis, 201.  
    s. phalæna, 201.  
    s. sparveria, 201.  
    sparveriioides, 201.  
Certhia famaliaris americana,  
    274.  
    f. occidentalis, 48.  
Ceryle alcyon alcyon, 266.  
    a. caurina, 40.  
    americana septentrionalis, 202.  
Chadbourne, A. P., the Labrador  
    Chickadee (*Penthestes hudsonicus*  
    *nigricans*) at Cohasset, Mass.,  
    late in May, 486.  
Chætura pelagica, 267, 337.  
    vauxi, 41.  
Chaffinch, 101.  
Chamæpelia passerina bahamensis,  
    201.  
Chamæpelia p. bermudiana, 201.  
    p. trochila, 59.  
Chapin, James P., notice of his  
    'The Classification of Weaver-  
    Birds,' 347.  
Chapman, Frank M., Daniel  
    Giraud Elliot, 1-10; notice of his  
    'Descriptions of New Birds from  
    Santo Domingo,' 355.  
Charadrius dominicus dominicus,  
    37.  
Charitonetta albeola, 34, 439.  
Chat, Long-tailed, 47.  
    Yellow-breasted, 67, 299.  
Chauleasmus streperus, 33, 439,  
    476.  
Chen hyperboreus hyperboreus, 34.  
    rossi, 50.  
Cherrie, George K., notice of his  
    'A Contribution to the Orni-  
    thology of the Orinoco Region,'  
    95.  
Chickadee, 274.  
    Acadian, 91, 93, 160.  
    Alaska, 159, 402.  
    Hudsonian, 50, 215, 217, 344,  
    345.  
    Chestnut-backed, 48.  
    Labrador, 144, 160-170, 218,  
    486.  
    Oregon, 48.  
Chloroceryle, 203.  
    americana septentrionalis, 202.  
Chlorænas, 200.  
    fasciata fasciata, 201.  
    f. viosæ, 201.  
    flavivirostris flavivirostris, 201.  
Chondestes grammacus strigatus,  
    45.  
Chordeiles minor minor, 88.  
    m. gundlachi, 89.  
    virginianus aserriensis, 203.  
    v. minor, 88.  
    v.. virginianus, 41, 267.  
Chuk-will's-widow, 299.  
Chunga burmeisteri, 294-296.  
Cinclodes antarcticus, 355.

- Cinclodes maculirostris*, 355.  
     *oustaletei hornensis*, 355.  
*Cinclus mexicanus unicolor*, 47, 402.  
*Circus hudsonius*, 37.  
*Cistothorus stellaris*, 465.  
*Clangula clangula americana*, 33.  
     *hyemalis*, 370.  
     *islandica*, 33.  
*Cloephaga hybrida malvinarum*, 493.  
 Coale, Henry K., Alaska Hermit Thrush in northeastern Illinois, 92.  
*Coccyzus americanus americanus*, 299, 419, 442.  
     *a. occidentalis*, 40.  
     *erythrophthalmus*, 419.  
     *minor nesiotis*, 59.  
*Cœreba portoricensis*, 62.  
*Colaptes cafer saturator*, 41.  
     *auratus luteus*, 41, 267.  
*Colinus virginianus virginianus*, 418.  
*Coliuspasser*, 348.  
 Colorado, birds of, 210, 224, 334, 341, 453, 480.  
*Columba fasciata*, 37, 201, 454.  
     *leucocephala*, 201.  
     *martinica*, 201.  
*Colymbus holboellii*, 30, 396, 461.  
     *auritus*, 30.  
     *nigricollis californicus*, 32, 63.  
*Compsothlypis americana usneæ*, 62, 214, 270, 390.  
 'Condor, The,' reviewed, 102, 233, 359.  
 Connecticut birds of, 13, 215, 344, 356, 461-465.  
*Conurus*, 353.  
*Conuropsis carolinensis interior*, 202.  
     *c. ludoviciana*, 202.  
 Cook, Albert John, obituary notice of, 114.  
 Cooke, Wells W., notice of his 'Second Annual Report of Bird Counts in the United States with Discussion of Results,' 97; in memoriam, 119-132.  
 Cooper, J. G., 449.  
 Coot, 36, 301, 440.  
     Caribbean, 57.  
*Coracina papuensis perpallida*, 96.  
     *welchmani kulambangræ*, 96.  
 Cormorant, Common, 141.  
     Double-crested, 139, 265, 438.  
     Violet-green, 407.  
     White-crested, 153, 398.  
 Corthylio, 204.  
     *calendula calendula*, 205.  
     *c. grinnelli*, 205.  
     *obscurus*, 205.  
*Corvus brachyrhynchus brachyrhynchus*, 267.  
     *b. hesperis*, 42.  
     *corax principalis*, 42, 401, 409, 458.  
     *c. sinuatus*, 454.  
     *caurinus*, 42.  
     *frugilegus*, 101.  
     *ossifragus*, 419.  
 Cory, Chas. B., notice of his 'Notes on Little Known South American Birds,' 227.  
*Corydon sumatranus brunnescens*, 104.  
*Coturnicops noveboracensis*, 64.  
 Coues, Elliott, 450.  
 Cowbird, 442, 453.  
 Crane, Little Brown, 35, 154, 409.  
     Sandhill, 36.  
 Creeper, Brown, 274, 304.  
     California, 48.  
     Porto Rican Honey, 62.  
 Crosby, Maunsell S., Acadian Chickadee at Rhinebeck, N. Y., 91; his 'Rhinebeck Birds and Seasons' noticed, 357.  
 Crossbill, 43, 305.  
     American, 93.  
     Red, 218.  
     White-winged, 43, 93, 217, 267, 305, 245.  
*Crotophaga ani*, 59.  
 Crow, 267, 478.  
     Fish, 419.



- Crow, Northwestern, 42.  
Western, 42.
- Cryptoglaux acadica acadica, 65.  
a. scotæa, 40.  
funerea richardsoni, 40, 400.
- Cuckoo, Black-billed, 299, 419.  
California, 40.  
Yellow-billed, 299, 419, 442.  
Jamaican Mangrove, 59.
- Culebra Island, Porto Rico, 51-62.
- Curlew, Hudsonian, 155, 441.  
Long-billed, 37.
- Curtis, Maynie R., see Pearl, Raymond.
- Cyanocephalus cyanocephalus, 455.
- Cyanocitta cristata cristata, 209, 267.  
stelleri annectens, 42.  
s. stelleri, 42.
- Cyclopsitta suavisissima, 229.
- Cygnus equitum, 106.
- Cymochorea, 467.
- Cypseloides niger borealis, 41, 203, 454.
- DABBENE, Roberto, notice of his 'Apparently New Species and Subspecies of Geositta and Cinclodes,' 355.
- Dafila acuta, 33, 207, 398, 439.  
a. americana, 200.  
a. tzitzihua, 200.
- Delaware Valley Ornithological Club, annual meeting of, 242.
- Dendragapus obscurus fuliginosus, 37.
- Dendrocygna viduata, 192.
- Dendroica æstiva, 385.  
a. æstiva, 385.  
a. rubiginosa, 47, 402.  
auduboni, 47.  
cærulescens, 187-191, 391.  
c. cærulescens, 214, 270.  
c. cairnsi, 325.  
castanea, 214, 270, 464.  
cerulea, 67.
- Dendroica coronata, 47, 62, 270, 389, 464.  
discolor, 61, 460.  
dominica albilora, 343, 373.  
fusca, 67, 187, 214, 271.  
magnolia, 270, 444.  
nigrescens, 47.  
palmarum hypochrysea, 187, 214, 271, 444.  
p. palmarum, 24, 217, 444.  
pennsylvanica, 387.  
petechia albicollis, 503.  
p. bartholemica, 62.  
ruficapilla, 95.  
striata, 271.  
tigrina, 214, 217, 302, 343, 410-413, 443, 464, 483.  
townsendi, 47, 455.  
vigorsii, 47.  
virens, 187, 464.
- Diaphorillas textilis, 501.
- Diaptrornis semicinctus, 104.
- Diatropura, 348.
- Diatryma, 354.  
ajax, 355.  
gigantea, 355.  
steini, 355.
- Dickey, S. S., first recorded nesting of Bachman's Sparrow in Pennsylvania, 212.
- Diglossopsis cærulescens saturata, 503.
- Dinemillia, 347.
- Dipper, 47.
- District of Columbia, birds of, 20, 343.
- Dolichonyx oryzivorus, 43.
- Dove, Mourning, 37, 442.  
Porto Rican Ground, 59.  
Temminck's Ground, 58.  
Zenaida, 59.
- Dovekie, 437.
- Dowitcher, 305, 440.  
Long-billed, 36, 155, 418.
- Down, coloration of, 207, 369.
- Drepanoplectes, 348.

- Dryobates borealis*, 203.  
     *pubescens gairdneri*, 41, 50.  
     *p. medianus*, 266, 388.  
     *p. nelsoni*, 50, 157.  
     *scalaris bairdi*, 454.  
     *villosus harrisi*, 41.  
     *v. leucomelas*, 40, 203, 266.  
     *v. monticola*, 41.  
     *v. septentrionalis*, 203.
- Duck, Black, 265, 303, 418.  
     Florida, 418.  
     Harlequin, 34, 398, 440.  
     Lesser Scaup, 33, 57, 207, 302.  
     Pacific Harlequin, 408.  
     Ring-necked, 33, 418.  
     Ruddy, 34, 228, 418.  
     Scaup, 33, 154, 207, 265, 398, 439.  
     Wood, 33, 207, 335, 418.
- Ducorpius, 353.  
     *sanguineus normantoni*, 354.  
     *s. westralensis*, 354.
- Dumetella carolinensis, 48, 386.
- Dyche, Lewis Lindsay, obituary notice of, 116.
- Dyke, Arthur C., Gadwall in Massachusetts, 476.
- Dwight, Jonathan, the status of "*Larus thayeri* Thayer's Gull," 413-414.
- EAGLE, Bald, 266, 305, 400, 454, 463.  
     Golden, 38, 65, 477.  
     Harpy, 454.  
     Northern Bald, 38.
- Earnshaw, F. L., see Palmer, T. S.,
- Economic ornithology in recent entomological publications, 497.
- Eddy, Newell A., obituary notice of, 376.
- Egret, 305, 440.
- Eider, 142.  
     King, 408, 440.  
     Pacific, 153, 398, 408.  
     Spectacled, 154.
- Elainea, Antillean, 60.
- Elainea martinica martinica, 60.
- Elliot, Daniel Giraud, biography of, 1-10.
- Empidonax difficilis difficilis, 42.  
     *flaviventris*, 267.  
     *hammondi*, 42.  
     *minimus*, 386.  
     *trailli trailli*, 42.  
     *virescens*, 66, 463.  
     *wrighti*, 42.
- 'Emu, The,' reviewed, 364.
- Enders, H. E., and Scott, W., notice of their 'The Food of Nestling Birds,' 494.
- Eolophus roseicapillus howei, 354.
- Ereunetes mauri, 36.  
     *pusillus*, 36, 440.
- Erismatura jamaicensis, 34, 228.
- Eucacatua, 353.
- Euphagus carolinus, 267.  
     *cyranocephalus*, 43.
- Euplectes, 348.
- Eupoda wilsonia rufinucha, 58.
- Eupsychortyx cristatus littoralis, 225.  
     *decoratus*, 225.
- Evans, A. H., notice of his 'Birds of Britain,' 223.
- FALCO columbarius columbarius, 39, 442.  
     *c. richardsoni*, 39.  
     *c. suckleyi*, 39.  
     *fuscocærulescens septentrionalis*, 201.  
     *mexicanus*, 39, 454.  
     *peregrinus anatum*, 39, 64, 442.  
     *rusticolus gyrfalco*, 38.  
     *r. rusticolus*, 38.  
     *sparverius loquacula*, 57.  
     *s. phalæna*, 39.  
     *s. sparverius*, 419.
- Falcon, Peregrine, 39.  
     Prairie, 39, 454.
- Falkland Islands, birds of, 492.
- Farley, J. A., ornithology at St. Mark's, 171-181.
- Faxon, Walter, unusual late autumn



- and winter records for Eastern Massachusetts, 217; Brewster's Warbler (*Vermivora leucobronchialis*) in Lexington, Mass., 481.
- Felger, A. H., Blue Jay in Jefferson Co., Colorado, 209.
- Ferry, Mary Bissell, obituary notice of, 116.
- Finch, Alaska Rosy, 409.  
California Purple, 43.  
Gray-crowned Rosy, 44.  
Hepburn's Rosy, 44.  
Purple, 66, 267, 302.
- Flamingo, 57.
- Flicker, 267.  
Northern, 41.  
Northwestern, 41.
- Florida, birds of, 86, 194, 356-357.
- Florida *cærulea cærulescens*, 57.
- Flycatcher, Acadian, 66, 299, 463.  
Alder, 301.  
Antillean, 60.  
Crested, 299.  
Fork-tailed, 337.  
Hammond's, 42.  
Least, 386.  
Olive-sided, 456.  
Traill's, 42.  
Western, 42.  
Wright's, 42.  
Yellow-bellied, 267.
- Forbush, E. H., notice of his recent papers on bird conservation, 101, 226.
- Forpus, 353.
- Foster, Francis A., *Muscivora tyrannus* in Massachusetts, 337.
- Francolinus *pondicerianus interpositus*, 503.  
*bicalcaratus ayeska*, 503.
- Fratereula *arctica*, 205.  
*a. arctica*, 205.  
*a. glacialis*, 205.  
*a. naumanni*, 205.  
*corniculata*, 406.
- Fregata *aquila*, 468, 476.
- Fregata magnificens*, 56.  
*m. rothschildi*, 468.  
*minor*, 468.  
*m. rothschildi*, 468.  
*m. palmerstoni*, 468.
- Fringilla *celebs*, 101.
- Froggatt, W. W. and J. E., notice of their 'Effect of Poisoning Operations on Birds,' 495.
- Fuertes, Louis A., notice of his paintings of mammals, 242; notice of his portraits of North American Warblers, 349.
- Fulica *americana*, 36, 440.  
*caribaea*, 57.
- Fuller, Timothy Otis, obituary notice of, 115.
- Fulmar, Rodger's, 397, 407.
- Fulmarus *rodgersi*, 397, 407.
- GABRIELSON, Ira N., some notes on Connecticut birds, 461-465.
- Gadwall, 33, 418, 439.
- Gallinago *delicata*, 36, 265, 476.
- Gallinula *galeata galeata*, 58, 456.
- Gallinule, Florida, 58, 305, 319, 321, 456.  
Purple, 305.
- Gannet, 56, 438.
- Gavia *arctica*, 283.  
*immer*, 32, 265, 437, 461.  
*pacifica*, 32, 151, 283, 396.  
*stellata*, 32, 219, 396, 405, 437.
- Geositta *punensis*, 355.  
*rufipennis burmeisteri*, 355.
- Geothlypis *trichas arizela*, 47.  
*t. brachydaetyla*, 324.  
*t. trichas*, 273, 444.
- Geotrygon *mystacea*, 58.
- Gianini, Charles A., some Alaskan Peninsula bird notes, 394-402.
- Glaucidium *brasilianum ridgwayi*, 202.  
*gnoma californicum*, 40, 305.  
*g. vigilante*, 205.  
*phalenoides*, 202.

- Gnatcatcher, Blue-gray, 220, 299.  
 Godwit, Hudsonian, 441, 457.  
     Marbled, 441.  
     Pacific, 155.  
 Goeldi, E. A., obituary notice of, 510.  
 Golden-eye, 33, 138, 418.  
     Barrow's, 33.  
 Goldfinch, 267.  
     Willow, 50, 213.  
 Golsan, Lewis S. and Holt, Ernest G., further notes on Alabama birds, 456-457.  
 Goose, Blue, 418.  
     Cackling, 34.  
     Canada, 34, 334, 418, 440, 462.  
     Emperor, 154.  
     Hutchin's, 34.  
     Ross's, 40, 418.  
     Snow, 34, 154.  
     White-fronted, 34, 154.  
 Goshawk, 38, 64, 87, 442, 487.  
     Western, 38, 336.  
 Grackle, Bronzed, 209, 267, 301.  
     Purple, 302.  
 Granger, Walter, see Matthew, W. D.,  
 Graspquit, Carib, 62.  
     Bryant's, 62.  
 Grayson, A. J., manuscripts of, 449.  
 Great Britain, birds of, 221, 223, 227.  
 Grebe, Antillean Pied-billed, 95.  
     Eared, 32, 63.  
     Holboell's, 30, 396, 461.  
     Horned, 30, 151, 305.  
     Pied-billed, 32, 301, 436.  
     Western, 30.  
 Grinnell, Joseph, notice of his 'The Subspecies of *Hesperiphona vespertina*, 225; notice of his 'Field Tests and Theories Concerning Distributional Control,' 232; the niche-relationships of the California Thrasher, 427-433.  
 Griscom, Ludlow, see Johnson, J. M.; see Nichols, J. T.  
 Grönvold, H., notice of his illustrations of South American birds, 100.  
 Grosbeak, Black-headed, 46.  
     Blue, 299.  
     Chiapis Blue, 480.  
     Evening, 66, 93, 210, 217, 218, 340, 463, 478, 487.  
     Pine, 217, 218, 267.  
     Rocky Mountain Pine, 43.  
     Rose-breasted, 302, 443.  
     Western Blue, 455.  
     Western Evening, 43, 455.  
 Grouse, Canadian Ruffed, 37, 266.  
     Oregon Ruffed, 37.  
     Sooty, 37.  
 Grus canadensis, 35, 409.  
     mexicana, 36.  
 Guadeloupe, birds of, 95.  
 Guillemot, Black, 141, 142.  
     Pigeon, 396, 406.  
 Guiraca cerulea chiapensis, 480.  
     c. lazula, 455.  
     c. salicaria, 204.  
 Gull, Bonaparte's, 32, 437.  
     California, 32.  
     Glaucous, 148, 151, 407, 437.  
     Glaucous-winged, 32, 152, 397.  
     Great Black-backed, 437.  
     Herring, 32, 265, 397, 461.  
     Laughing, 58, 438, 462.  
     Ring-billed, 32, 141, 461.  
     Sabine's, 152, 407.  
     Short-billed, 32, 151, 397.  
     Slaty-backed, 397.  
     Thayer's, 413-414.  
 Gyldenstolpe, Nils, notice of his report on the birds of Siam, 99.  
 HÆMATOPUS palliatus, 58.  
 Haiti, birds of, 493.  
 Haliaetus leucocephalus alascanus, 38, 400.  
     l. leucocephalus, 266, 454, 463.

- Halobæna murphyi, 493.  
Hanna, G. Dallas, the summer birds of the St. Matthew Island bird reservation, 403-410.  
Harelda hyemalis, 34, 408.  
Harper, Francis, exact localities, 506.  
Harrington, Ralph M., Yellow-throated Warbler in Brooklyn, N. Y., 343.  
Hartert, Ernst, coloration of down in adult ducks, 370; notice of recent papers by, 95; notice of his 'On the Name of the "Auklets,"' 229.  
Hawk, Black Pigeon, 39.  
    Broad-winged, 299.  
    Cooper's, 38, 64.  
    Desert Sparrow, 39.  
    Duck, 64, 442.  
    Iowa Broad-winged, 73-75.  
    Marsh, 37, 156.  
    Pigeon, 39, 139, 301, 442.  
    Porto Rican Sparrow, 57.  
    Red-bellied, 38.  
    Red-shouldered, 64.  
    Red-tailed, 57.  
    Richardson's Pigeon, 39.  
    Rough-legged, 38, 93, 400, 454.  
    Sharp-shinned, 37, 217, 266.  
    Sparrow, 209, 419, 478.  
    Swainson's, 38.  
    Western Red-tailed, 38.  
Helmitheros vermivorus, 444, 464.  
Helodromas solitarius cinnamomeus, 37.  
    s. solitarius, 37.  
Hemipuffinus, 471.  
Heninger, W. F., notice of his 'The Diary of a New England Ornithologist,' 356.  
Henshaw, Henry W., personal note, 117; notice of his 'Friends of our Forests,' 349.  
Herodias egretta, 440.  
Heron, Black-crowned Night, 305.  
Heron, Cuban Green, 57.  
    Great Blue, 265.  
    Great White, 86.  
    Green, 299, 446.  
    Little Blue, 57, 299.  
    Northwestern, 35.  
    Yellow-crowned Night, 305.  
Hersey, F. Seymour, the present abundance of birds in the vicinity of Fort St. Michael, Alaska, 147-159; the status of the Black-throated Loon (*Gavia arctica*) as a North American bird, 283-290.  
Hesperiphona vespertina brooksi, 225.  
    v. californica, 225.  
    v. montana, 43, 225, 455.  
    v. vespertina, 66, 93, 210, 217, 218, 463, 478, 487.  
    v. warreni, 225.  
Hierofalco, 201.  
    mexicanus, 201.  
    rusticolus candicans, 201.  
    r. obsoletus, 201.  
Himantopus mexicanus, 418.  
Hine, Jane Louisa, obituary notice of, 117.  
Hirundo erythrogastra, 46, 268, 401.  
Histrionicus histrionicus, 34, 398, 440.  
    h. pacificus, 408.  
Holoquiscalus brachypterus, 62.  
    guadeloupensis, 95.  
    martinicensis, 95.  
Holt, Ernest G., see Golsan, Lewis S.  
Horizonetta, 366.  
Howell, A. Brazier, a new subspecies of Red-winged Blackbird from western Central America, 196-197; notice of his 'Birds of the Islands off the Coast of Southern California,' 462.  
Huber, Wharton, Sooty Tern in New Jersey, 206.  
Hummingbird, Black-chinned, 41.

- Hummingbird, Broad-tailed, 454.  
 Gilt-crested, 59.  
 Ruby-throated, 299.  
 Rufous, 42.  
*Hydrochelidon nigra surinamensis*,  
 32, 493.  
*Hydroprogne caspia imperator*, 198.  
*tschegrava imperator*, 198.  
*Hylocichla fuscescens fuscescens*,  
 389, 457.  
*guttata guttata*, 49, 92, 402, 419.  
*g. nana*, 49.  
*g. pallasi*, 275.  
*g. sequoiensis*, 49.  
*mustelina*, 444.  
*ustulata swainsoni*, 275.  
*u. ustulata*, 49.  
*Hylophylax naevioides subsimilis*,  
 503.  
*Hypolophus canadensis intermedius*,  
 95.  
 'Ibis, The,' reviewed, 103, 234, 361;  
 index to, noticed, 94.  
 Ibis, White-faced Glossy, 35.  
 Wood, 305.  
*Icteria virens longicauda*, 47.  
*v. virens*, 67.  
*Icterus bullocki*, 43.  
*mesomelas carrikeri*, 225.  
*Idiopiza*, 503.  
 Illinois, birds of, 92.  
 Incubation periods, 488.  
 Indiana, birds of, 86, 487.  
 Iowa, birds of, 73, 336.  
*Iridoprocne bicolor*, 46, 268, 456, 464.  
*Ixobrychus exilis*, 462.  
*Ixoreus naevius naevius*, 49.  
 JAEGER, Long-tailed, 32, 151, 396,  
 407.  
 Parasitic, 151, 396.  
 Pomarine, 151.  
 Jay, Alaska, 400.  
 Black-headed, 42.  
 Blue, 209, 267.  
 Jay, Canada, 267.  
 Gray, 42.  
 Labrador, 144.  
 Piñon, 455.  
 Steller's, 42.  
 Johnson, J. M., Nichols, J. T., and  
 Griscom, Ludlow, notes from  
 North Carolina, 219.  
 Junco, Oregon, 45.  
 Shufeldt's, 45.  
 Slate-colored, 45, 268, 304, 480.  
*Junco hyemalis hyemalis*, 45, 268,  
 480.  
*oreganus connectens*, 45.  
*o. oreganus*, 45.  
 KAKATOË, 353.  
*galereta aruensis*, 354.  
*g. interjecta*, 354.  
 Kansas, birds of, 87.  
 Killdeer, 37, 207, 463.  
 Kingbird, 42, 209, 267, 299, 386.  
 Arkansas, 42.  
 Gray, 60.  
 Kingfisher, Belted, 59, 266.  
 Northwestern Belted, 40.  
 Kinglet, Golden-crowned, 274, 304.  
 Ruby-crowned, 275, 304, 170.  
 Sitka, 49.  
 Western Golden-crowned, 49.  
 Kingsford, E. G., Wood Duck re-  
 moving young from the nest, 335.  
 Kirk, George L., Nelson's Sparrow  
 in Vermont, 341.  
 Kittiwake, Pacific, 148, 151, 397,  
 407.  
 Knot, 36, 156, 440, 462.  
 Kuser, John Dryden, notice of  
 his 'The Way to Study Birds,'  
 492; 'The Way to Study Birds,'  
 508.  
 LABRADOR, birds of, 99, 133-146,  
 163.  
*Lagopus lagopus albus*, 200.

- Lagopus*, *L. lagopus*, 200, 399.  
    *leucurus leucurus*, 37.  
    *rupestris kelloggæ*, 200.  
    *r. rupestris*, 399.  
*Lalage karu*, 235.  
    *k. keyensis*, 235.  
    *k. obscurior*, 235.  
    *k. pallescens*, 235.  
*Lanius borealis*, 46, 217.  
    *ludovicianus gambeli*, 46.  
    *l. migrans*, 89, 214, 464.  
*Linivireo solitarius cassini*, 47.  
    *s. solitarius*, 269, 443.  
*Laphyetes satrapa*, 204.  
*Lark*, Dusky Horned, 42.  
    Horned, 139, 141, 302, 442, 463.  
    Pallid Horned, 42.  
    Prairie Horned, 302, 338, 388.  
    Streaked Horned, 42.  
*Larus argentatus*, 32, 265, 397, 414, 461.  
    *atricilla*, 58, 438, 462.  
    *a. megalopterus*, 94.  
    *brachyrhynchus*, 32, 397.  
    *californicus*, 32.  
    *delawarensis*, 32, 461.  
    *glaucescens*, 32, 397.  
    *hyperboreus*, 407, 437.  
    *kumlieni*, 414.  
    *leucopterus*, 414.  
    *marinus*, 265, 437.  
    *philadelphia*, 32, 437.  
    *schistisagus*, 397.  
    *thayeri*, 413-414.  
    *vero*, 357.  
*Lawson Malvina*, recollections of ornithologists, 275-282.  
*Layardella*, 354.  
*Lea*, Arthur M., notice of his analysis of the food of some Australian birds, 101.  
*Lepidopyga lilliae*, 366.  
*Leptotila ochroptera approximans*, 227.  
*Leucosticte griseonucha*, 409.  
    *tephrocotis littoralis*, 44.  
    *Leucosticte t. tephrocotis*, 44.  
    *Leucotreron merrilli*, 106, 359.  
    *Licmetis*, 353.  
    *Limnocinclus*, 200.  
        *acuminatus*, 200.  
    *Limosa fedoa*, 441.  
        *hamastica*, 441, 457.  
    *Linaria inornata*, 503.  
    Lincoln, F. C., Bohemian Waxwing (*Bombycilla garrula*) in Colorado, 341.  
    Link, Gustav Adolph, obituary notice of, 377.  
    Lloyd, Hoyes, Ontario bird notes, 457.  
    Lloyd-Jones, Orren, notice of his 'A Microscopical and Chemical Study of Feather Pigments,' 232.  
    *Lobipes lobatus*, 336, 398, 409.  
    Long Island, birds of, 434, 483.  
    Longspur, Alaska, 44, 158, 401, 410.  
        Lapland, 302, 442.  
        McCown's, 44.  
    Loon, 32, 301, 461.  
        Black-throated, 283.  
        Pacific, 32, 151, 396.  
        Red-throated, 32, 141, 150, 219, 396, 405, 437.  
    *Lophochroa leadbeateri superflua*, 354.  
    *Lophophorus impejanus*, 500.  
        *refulgens*, 500.  
    *Lophodytes cucullatus*, 32.  
    *Lophortyx californica californica*, 194.  
        *c. vallicola*, 194.  
        *catalinensis*, 194.  
    Lord, William Rogers, obituary notice of, 511.  
    Lowe, Willoughby P., remarks on Colorado birds, 453-455.  
    *Loxia curvirostra bendirei*, 328.  
        *c. minor*, 43, 93, 218.  
        *c. sitkensis*, 204.  
        *leucoptera*, 43, 93, 217, 267.  
        *megapлага*, 99.

- Lunda cirrhata*, 390, 405.
- McATEE, W. L., life and writings of Professor F. E. L. Beal, 243-264; the shedding of the stomach lining by birds, particularly as exemplified by the Anatidae, 415-421.
- McConnell, Thos. L., Crow roost near Boston, Pennsylvania, 478.
- McGregor, R. C., notice of his 'New or Noteworthy Philippine Birds,' 359.
- MacReynolds, Geo., a Pennsylvania Starling roost, 833-340.
- Mackenzie, birds of, 163.
- Macrorhamphus griseus griseus*, 440.  
*scolopaceus*, 36, 418.
- Magpie, 42, 400, 419, 454.
- Maine, birds of, 210, 215.
- Mallard, 33, 206, 303, 398, 408, 418, 438.
- Mango, Porto Rican, 60.
- Manitoba, birds of, 74.
- Man-o'-war-bird, 32, 56, 207, 476.
- Mareca americana*, 33, 398.  
*penelope*, 408, 439.
- Margarops fuscatus fuscatus*, 61.
- Marila affinis*, 33, 57, 207.  
*americana*, 33, 207, 439.  
*collaris*, 33.  
*marila*, 33, 207, 265, 398, 439.  
*valisineria*, 33, 207, 439.
- Marsden, Henry, obituary notice of, 378.
- Martin, Purple, 299, 443.
- Massachusetts, birds of, 11-27, 86, 89, 92, 161-163, 164-165, 207, 214, 217, 337, 338, 342, 356, 476.
- Mathews, G. M., notice of his 'Birds of Australia,' 228, 352, 492.
- Matthew, W. D., and Granger, W., notice of their 'The Skeleton of *Diatryma*, a Gigantic Bird from the Lower Eocene of Wyoming,' 354.
- May, John B., Orange-crowned Warbler (*Vermivora celata celata*) in Cohasset, Mass., 342.
- Meadowlark, 302, 419.  
 Northwestern, 68-70.  
 Western, 43, 219.
- Mearns, Edgar A., notice of his 'On the Geographical Forms of the Philippine Elegant Titmouse, *Pardaliparus elegans*, with Descriptions of three New Subspecies,' 96; obituary, notice of, 113-114.
- Megaceryle, 202.
- Melanerpes erythrocephalus*, 442, 463.  
*carolinus*, 66.
- Melanitta*, 200.  
*deglandi*, 200.  
*fusca*, 200.  
*perspicillata*, 200.
- Melanosterna anæthæta recognita*, 199.
- Meleagris gallopavo merriami*, 453.
- Mellen, Mrs. George H., Wilson's Warbler (*Wilsonia pusilla pusilla*) in Massachusetts in December, 89; winter birds at Newton Highlands, Massachusetts, 92.
- Melopelia asiatica asiatica*, 205.  
*a. mearnsi*, 201.  
*a. Trudeaui*, 205.
- Melospiza georgiana*, 268.  
*lincolni lincolni*, 45, 268, 443, 464.  
*l. striata*, 45.  
*melodia fisherella*, 204.  
*m. mailliardi*, 204.  
*m. melodia*, 268, 459.  
*m. morphna*, 45.  
*m. rufina*, 45.
- Mengel, G. Henry, Evening Grosbeak at Birdsboro, Pa., 340.
- Merganser, American 32, 418, 438.  
 Hooded, 32, 303.  
 Red-breasted, 32, 153, 207, 265, 438.



- Merganser americanus, 32.  
Mergus americanus, 207, 438.  
    serrator, 206, 265, 438.  
Merlin, Black, 39.  
    Richardson's, 39.  
Merriam, H. F., nesting of the  
    Cape May Warbler at Lake  
    Edward, Quebec, 410-413.  
'Messenger Ornithologique,' re-  
    viewed, 105, 235.  
Microeca flavigaster latissima, 104.  
Microliga montana, 356.  
Microlyssa exilis exilis, 59.  
Micropalama himantopus, 36.  
Micropallas whitneyi idonea, 202.  
Microrhophias melanogastri iliaca,  
    225.  
Microsiphonorhis, 356.  
    brewsteri, 356.  
Migratory birds treaty enabling  
    act, 380.  
Miller, W. DeW., breeding of the  
    Canada Warbler in northern New  
    Jersey, 214; rare winter visitants  
    in the vicinity of Plainfield,  
    New Jersey, 218; notice of his  
    expedition to Nicaragua, 379.  
Mimus polyglottos, 91.  
    p. orpheus, 61.  
    p. polyglottos, 215, 419.  
Minnesota, birds of, 74.  
Mniotilta varia, 62, 269, 464.  
Mockingbird, 91, 215, 419.  
    Jamaican, 61.  
Molothrus ater artemisiæ, 43, 327.  
    a. ater, 43, 442, 455.  
    a. dwighti, 327.  
Monarcha cinerascens rossellianus,  
    96.  
Mormon glacialis, 205.  
Morrell, Clarence Henry — a correc-  
    tion, 93.  
Morris, George Spencer, Evening  
    Grosbeak (*Coccothraustes vespertina*  
    *vespertina*) at Cinnaminson,  
    N. J., 93.  
Morris, Robert O., Golden Eagle  
    (*Aquila chrysaëtos*) at Springfield,  
    Mass., 477; Evening Grosbeak  
    (*Hesperiphona vespertina vespertina*)  
    at Springfield, Mass., 478.  
Mousley, H., the breeding of the  
    Black-throated Blue Warbler at  
    Hatley, Stanstead County, Que-  
    bec, 1916, 187-191; the Cape  
    May and other rare Warblers at  
    Hatley, Stanstead County, Que-  
    bec, 214; winter birds at Hatley  
    Stanstead County, Quebec, 217;  
    a study of subsequent nestings  
    after the loss of the first, 381-393;  
    Evening Grosbeaks at Hatley,  
    Stanstead County, Quebec, 479;  
    sap drinking habits of warblers,  
    484; rare warblers at Hatley,  
    Stanstead County, Quebec, 484;  
    Labrador Chickadees at Hatley,  
    Stanstead County, Quebec, 486.  
Mullins, W. H. and Swan, H.  
    Kirke, notice of their 'A Bibliog-  
    raphy of British Ornithology,'  
    227.  
Murphy, R. C., see Nichols, J. T.  
Murre, 139.  
    Brünnich's, 139.  
    California, 396.  
    Pallas's, 148, 406.  
Murrelet, Marbled, 396.  
Muscipeta atrocaudata, 216.  
Muscivora tyrannus, 337.  
Myadestes townsendi, 49, 217.  
Myiarchus antillarum, 60.  
    crinitus boreus, 194.  
    c. residuus, 194.  
Myiobius modestus suffusus, 224.  
Myiochanes richardsoni richardsoni,  
    42.  
Myospiza humeralis meridanus,  
    503.  
Myrmeciza læmosticta palliata,  
    503.  
Myzomela rubratra saffordi, 366.

- NANNOPSITTACUS**, 229.  
**Nannus hiemalis hiemalis**, 274.  
     *h. pacificus*, 48.  
**Nasiterna chloroxantha**, 502.  
 National Association of Audubon Societies, 231.  
 Nelson, E. W., personal note, 117.  
**Neonectris**, 472.  
**Nephæcetes**, 203.  
     *niger borealis*, 203.  
**Nesomalurus leucopterus**, 501.  
**Nettion carolinense**, 33, 207, 398, 408, 439.  
 New Brunswick, birds of, 265-275.  
 New Hampshire, birds of, 12, 91, 168-169.  
 New Jersey, birds of, 22, 93, 163, 170, 192, 206, 210, 214, 218, 358, 479.  
 New York, birds of, 20, 23, 88, 91, 163, 169, 208, 209, 319-321, 343, 345, 357, 434, 483.  
 Nichols, J. T., Murphy, R. C., and Griscom, L., notes on Long Island birds, 434-444.  
 Nichols, J. T., Man-o'-War-bird etc., on the North Carolina Coast, 476; see also Johnson, J. M.  
**Nighthawk**, 41, 267, 299.  
 Noble, G. K., notice of his 'The Resident Birds of Guadeloupe,' 94.  
**Nomonyx**, 228.  
 North, A. J., obituary notice of, 510.  
 North Carolina, birds of, 21, 219, 296-308, 476.  
 Norton, A. H., type of the Large-billed Puffin, 205.  
 Nova Scotia, birds of, 163.  
**Nucifraga columbiana**, 43.  
**Numenius americanus**, 37.  
     *hudsonicus*, 441.  
**Nutcracker**, Clarke's, 43.  
**Nuthatch**, Red-breasted, 48, 274, 304, 444, 465.  
     Slender-billed, 48.  
     White-breasted, 181-187.  
 Nuttall, Thomas, 282.  
**Nuttallornis borealis**, 42, 267, 456.  
**Nyctea nyctea**, 40, 93, 213, 409.  
**Nyctibius griseus abbotti**, 493.  
**Nyctipolus hirundinaceus cearæ**, 227.  
**OBERHOLSER**, Harry C., critical notes on the eastern subspecies of *Sitta carolinensis* Latham, 181-187; notes on North American birds, I, 191-196; II, 321-329; III, 465-470; second annual list of proposed changes in the A. O. U. Check-List of North American Birds, 198-205; a synopsis of the races of *Bombycilla garrula* (Linn.), 330-333; notes on the genus *Puffinus* Brisson, 471-475; notice of his 'The Birds of Bawean Island,' 227.  
**Oceanites oceanicus**, 438, 462.  
**Oceanodroma hornbyi**, 467.  
**Oidemia americana**, 153, 439, 462.  
     *deglandi*, 34, 439.  
     *perspicillata*, 34, 398, 439.  
**Oldsquaw**, 34, 154, 305, 408.  
**Oldys**, Henry, Starlings nesting near Washington, D. C., 338; plumage importation in England, 369.  
**Olor buccinator**, 35.  
     *columbianus*, 35, 408, 440.  
 Ontario, birds of, 20, 457-460.  
**Onychoprion**, 199.  
     *fuscatus*, 199.  
**Onychospiza**, 89.  
**Onychostruthus**, 89.  
 'Oologist, The,' reviewed, 102, 234, 360.  
**Oporornis formosus**, 67.  
     *tolmiei*, 47.  
 Ord, George, 277-282.  
 Oregon, birds of, 70, 358.

- Oreopeleia*, 201.  
  *chrysea*, 201.  
  *leucometopius*, 356.  
  *montana*, 201.  
*Oreoscoptes montanus*, 455.  
*Oriole*, Baltimore, 301.  
  Bullock's, 43.  
  Orchard, 299.  
Ornithological articles in other journals, 105, 236, 365, 497.  
*Osprey*, 39, 57, 266, 301, 454, 463.  
*Ostinops decumanus melanterus*, 225.  
  *sincipitalis australis*, 225.  
*Otocoris alpestris alpestris*, 442, 463.  
  *a. arctica*, 42.  
  *a. merrilli*, 42.  
  *a. praticola*, 338, 388.  
  *a. strigata*, 42.  
*Ouzel*, Water, 402.  
*Ovenbird*, 61, 272, 299.  
*Otus asio asio*, 201, 202.  
  *a. floridanus*, 201.  
  *a. kennicotti*, 40, 422.  
  *a. maxwelliae*, 454.  
  *a. naevius*, 201.  
*Owl*, Barn, 209, 305.  
  Burrowing, 40, 454.  
  California Pygmy, 40.  
  Dusky Horned, 40.  
  Great Gray, 39.  
  Hawk, 40, 156.  
  Kennicott's Screech, 40, 422.  
  Long-eared, 39, 302.  
  Northern Spotted, 39.  
  Northwestern Saw-whet, 40.  
  Richardson's, 40, 400.  
  Rocky Mountain Screech, 454.  
  Saw-whet, 65, 302.  
  Short-eared, 39, 153, 156, 266, 302, 442.  
  Snowy, 40, 93, 156, 213, 409.  
  Western Horned, 40.  
*Oxyechus vociferus*, 37, 207, 463.  
*Oystercatcher*, 58.  
*PALÆOCHENOIDES mioceanus*, 98.  
*Palæornis*, 97, 353.  
Palmer, T. S., Clarence Henry Morrell, a correction, 93; in memoriam, Wells Woodbridge Cooke, 119-132; personalia in ornithology — report of the committee on biography and bibliography, 445-452.  
Palmer, T. S., Bancroft, W. F., and Earnshaw, F. L., notice of their 'Game Laws for 1916,' 101.  
*Pandion haliaëtus carolinensis*, 39, 57, 266, 454, 463.  
*Pardaliparus elegans guimarasensis*, 96.  
  *e. panayensis*, 96.  
  *e. suluensis*, 96.  
*Parmoptila*, 347.  
Parrot, Culebra, 59.  
*Parvipsitta*, 229.  
*Passer domesticus*, 479.  
  *d. hostilis*, 329.  
*Passerculus princeps*, 443.  
  *rostratus guttatus*, 340.  
  *sandwichensis alaudinus*, 44, 401, 410.  
  *s. brooksi*, 204.  
  *s. savanna*, 268, 443.  
*Passerella iliaca iliaca*, 217.  
  *i. insularis*, 45.  
  *i. schistacea*, 46.  
  *i. townsendi*, 45.  
  *i. unalaschensis*, 45, 401.  
*Passerherbulus* 479.  
  *henslowi henslowi*, 433, 456.  
  *maritimus maritimus*, 443.  
  *nelsoni nelsoni*, 341.  
*Passerina amœna*, 46.  
  *ciris*, 346.  
*Patagionas*, 201.  
  *leucocephala*, 201.  
  *squamosa*, 201.  
Peale, Titian R., diaries of, 449.  
Pearl, Raymond and Curtis, Maynie R., notice of their 'Dwarf Eggs,' 97.

- Pearson, T. Gilbert, notice of his 'The Bird Study Book,' 348.
- Peavot, Henry, and Wells, Thomas, notice of their 'Index to The Ibis, 1895-1912,' 94.
- Pediæcetes phasianellus jamesi, 366.
- Pelecanus californicus, 49.  
erythrorhynchus, 32, 453.  
occidentalis, 56.
- Pelican, Brown, 56.  
California Brown, 49.  
White, 32, 305, 453.
- Pelidna alpina pacifica, 200.  
a. sakhalina, 36, 200, 441.
- Pennsylvania, birds of, 22, 210, 212, 338-340, 344, 358, 478.
- Penthestes atricapillus atricapillus, 274.  
a. occidentalis, 48.  
cinctus alascensis, 402.  
hudsonicus, 215, 217, 344, 345, 371, 374.  
h. hudsonicus, 50, 160-161, 371, 374.  
h. littoralis, 91, 93, 160-161, 274.  
h. nigricans, 160-170, 204, 218, 486.  
rufescens rufescens, 48.
- Perdix, perdix armoricana, 503.  
p. italica, 503.
- Perisoreus canadensis canadensis, 267.  
c. fumifrons, 400.  
obscurus griseus, 42.
- Peters, James L., Philadelphia Vireo (*Vireosylva philadelphia*) in Massachusetts in autumn, 89; notice of his 'A New Swift from Santo Domingo,' 98.
- Petrel, Wilson's, 438, 462.
- Petrochelidon albifrons albifrons, 204.  
lunifrons lunifrons, 46, 204, 268.
- Peuceæ æstivalis bachmani, 212.
- Pewee, Western Wood, 42.  
Wood, 299.
- Phæthon æthereus, 56.  
americanus, 56, 199.  
catesbyi, 199.
- Phalacrocorax auritus auritus, 265, 438.  
a. cinctatus, 398.  
carbo carbo, 96.  
c. subcormoranus, 96.  
pelagicus robustus, 407.
- Phalarope, Northern, 154, 336, 398, 409.  
Red, 409.  
Wilson's, 36, 440.
- Phalaropus fulicarius, 409.
- Phaleris psittacula, 406.
- Philaitirus, 347.
- Philipp, P. B., and Bowdish, B. S., some summer birds of northern New Brunswick, 265-275.
- Philippines, birds of the, 96.
- Phlæotomus pileatus abieticola, 41, 65, 267.
- Phœbastria, 199.  
albatrus, 199.  
immutabilis, 199.  
nigripes, 199.
- Phœbe, Say's, 42.
- Phœnicopterus ruber, 57.
- Phœnicothraupis rubiginosus, 224.
- Phœochroa cuvierii notia, 224.
- Pholidornis, 348.
- Phrenopicus, 203.  
borealis, 203.
- Phrygilus malvinarum, 493.
- Phylloscopus trochiloides fokiensis, 362.
- Piaya cayana venezuelensis, 227.
- Pica pica hudsonia, 42, 400, 419, 454.
- Picoides americanus americanus, 266.  
a. fasciatus, 41.  
arcticus, 88, 266.
- Picus borealis, 203.

- Picus formicivorus*, 203.  
  *leucomelas*, 203.  
  *septentrionalis*, 203.
- Pigeon, Band-tailed, 37, 454.  
  Passenger, 87, 208, 305.  
  Scaled, 59.
- Pinicola enucleator kamtschathensis*, 210.  
  *e. leucura*, 217, 218, 267.  
  *e. montana*, 43.
- Pintail, 33, 153, 207, 398, 418, 439.  
  Bahama, 57.
- Pipilo maculatus oregonus*, 46.
- Pipit, 47, 141, 159, 304, 402, 444.
- Piranga erythromelas*, 268, 459.  
  *ludoviciana*, 46.
- Pisobia acuminata*, 200.  
  *aurita*, 200.  
  *bairdi*, 36.  
  *fuscollis*, 59, 463.  
  *maculata*, 36, 453.  
  *minutilla*, 36, 399.
- Planesticus*, 387.  
  *migratorius caurinus*, 195.  
  *m. migratorius*, 49, 275.  
  *m. propinquus*, 49, 213.
- Platalea, 359.
- Platycercus caledonicus flindersi*, 492.  
  *elegans fleurieuensis*, 501.  
  *eximius colei*, 492.
- Plectrophenax hyperboreus*, 410.  
  *nivalis nivalis*, 44, 93, 217, 401, 442.
- Plegadis guarauna*, 35.
- Plover, Black-bellied, 37, 155, 265, 441.  
  Golden, 37, 155.  
  Mountain, 86.  
  Pacific Golden, 155, 156.  
  Piping, 265, 441.  
  Rufous-necked, 58.  
  Semipalmated, 37, 301, 399, 440.  
  Upland, 441, 463.
- Podasocys montanus*, 86.
- Podica*, 500.
- Podilymbus podiceps*, 32, 436.  
  *p. antillarum*, 56, 95.
- Poecilonetta bahamensis*, 57, 199.
- Poecilurus atrigularis*, 503.
- Polioptila caerulea caerulea*, 220.
- Poocetes gramineus affinis*, 44.  
  *g. gramineus*, 268, 443.
- Popular bird study, 117.
- Porto Rico, birds of, 51-62.
- Porzana carolina*, 36, 462.  
  *flaviventris hendersoni*, 503.
- Probosciger aterrimus oorti*, 229.
- Progne subis subis*, 443.
- Protonotaria citrea*, 66.
- Psaltiriparus minimus, minimus*, 48.
- Pseudonigrita*, 348.
- Psittacula*, 353.
- Psittacus ludovicianus*, 202.  
  *pusillus*, 229.
- Ptarmigan, Rock, 399.  
  White-tailed, 37, 334.  
  Willow, 156, 399.
- Publications Received, 106, 236, 367.
- Puffin, 145.  
  Horned, 148.  
  Tufted, 396, 405.
- Puffinus*, 471-475.  
  *assimilis*, 475.  
  *a. baroli*, 475.  
  *auricularis*, 472.  
  *bermudæ*, 206.  
  *borealis*, 199, 438.  
  *chilensis*, 199.  
  *chlororhynchus*, 474.  
  *couesi*, 472.  
  *cuneatus*, 474.  
  *c. knudsoni*, 474.  
  *gravis*, 438.  
  *griseus*, 199, 438.  
  *g. chilensis*, 199, 475.  
  *g. stricklandi*, 199, 475.  
  *knudsoni*, 474.  
  *kuhlii borealis*, 199.  
  *lherminieri*, 475.

- Puffinus megalli*, 98.  
     *opisthomelas*, 472, 475.  
     *pacificus alleni*, 474.  
     *p. laysani*, 474.  
     *parvus*, 98.  
     *puffinus*, 206.  
     *p. bermudæ*, 475.  
     *p. puffinus*, 475.  
     *tenuirostris tenuirostris*, 475.  
*Pyromelana*, 348.  
*Pyrrhulopsis*, 354.  
*Pyrrhura subandina*, 225.
- QUAIL, Scaled, 453.  
 Quebec, birds of, 187-191, 214, 215,  
     217, 410-413 479, 484.  
*Quelea*, 848.  
*Querquedula cyanoptera*, 33, 207.  
     *discors*, 33.  
     *floridana*, 357.  
*Quiscalus quiscula æneus*, 209, 267.
- RAIL, Black, 305.  
     Caribbean Clapper, 58.  
     Clapper, 440.  
     King, 299.  
     Virginia, 36, 301.  
     Yellow, 64.  
*Rallus adetus*, 366.  
     *crepitans crepitans*, 440.  
     *longirostris caribæus*, 58.  
     *virginianus*, 36.  
 Ramsay, E. P., obituary notice of,  
     376.  
 Rathbun, S. F., description of a  
     new subspecies of the Western  
     Meadowlark, 68-70; Bohemian  
     Waxwing at Seattle, Wash., 212;  
     Townsend's Solitaire (*M. town-*  
     *sendi*) at Seattle, Wash., 217;  
     acknowledgment, 220.  
 Raven, Northern, 42, 157, 401,  
     409.  
     Western, 454.  
 Redhead, 33, 207, 439.  
 Redpoll, 44, 93, 158, 217, 218, 219,  
     401, 409, 487.  
 Redpoll, Hoary, 44, 158, 487.  
 Redstart, 47, 274, 299.  
     Painted, 61.  
 Red-tail, Western, 38.  
 Redwing, Northwestern, 43.  
*Regulus calendula calendula*, 275.  
     *c. grinnelli*, 49.  
     *c. obscurus*, 205.  
     *satrapa olivaceus*, 49.  
     *s. satrapa*, 274.  
 'Revue Française d'Ornithologie',  
     review of, 105, 235, 364, 501.  
 Rhode Island, birds of, 12.  
*Rhodinocichla rosea vulpina*, 96.  
*Rhynchophanes mccowni*, 44.  
 Richmond, Chas. W., the earliest  
     name for the Nighthawk, 88;  
     a new name for *Onychospiza*  
     *Prjevalski*, 89; "One of the  
     Rarest Birds," 215; the Cape  
     May Warbler at Washington,  
     D. C., in winter, 343; notice of  
     his 'Descriptions of Two New  
     Birds from Haiti,' 493; notice of  
     his, 'Generic Names Applied to  
     Birds During the Years 1906 to  
     1915 Inclusive,' 491.  
 Riley, J. H., an unrecorded bird  
     from the Bahamas, 209; a bird  
     new to the North American  
     fauna, 210; notice of his 'Three  
     Remarkable Birds from Santo  
     Domingo,' 98.  
*Riparia riparia*, 46, 268, 402, 464.  
*Rissa tridactyla pollicaris*, 397,  
     407.  
     *t. tridactyla*, 437.  
 Roadrunner, 100.  
 Robin, 49, 275, 387.  
     Western, 49, 213.  
 Rogers, Chas. H., Chimney Swift  
     nesting in a well, 337.  
 Rook, 101.  
 Rothschild, Lord, and Hartert  
     Ernst, notice of recent papers by,  
     95.  
*Ruticilla cairii*, 501.



- SAGE, John Hall, thirty-fourth stated meeting of the American Ornithologists' Union, 76-85; a description of Audubon, 239; birthday celebration, 379.
- Salpinctes obsoletus obsoletus, 48.
- Salvador, birds of, 196.
- Sanderling, 37, 441.
- Sandpiper, Aleutian, 155.  
Baird's, 36.  
Bartramian, 301.  
Buff-breasted, 37, 441.  
Least, 36, 141, 301, 399.  
Pectoral, 36, 155, 156, 301, 453.  
Pribilof, 409.  
Purple, 441.  
Red-backed, 36, 155, 156, 441.  
Semipalmated, 36, 301, 440.  
Solitary, 37, 301.  
Spotted, 37, 58, 265, 299, 441.  
Stilt, 36.  
Western, 36.  
Western Solitary, 37, 301.  
White-rumped, 58, 301, 463.
- Santo Domingo, birds of, 98, 355.
- Sapsucker, Northern Red-breasted, 41.  
Yellow-bellied, 266, 302, 442.
- Saunders, W. E., wild geese at Moose Factory, 334.
- Sawyer, Edmund J., Arctic Three-toed Woodpecker (*Picoides arcticus*) in Jefferson Co., N. Y., 88.
- Sayornis sayus, 42.
- Scardafella squammata cearæ, 227.
- Sclater, W. L., notice of his 'The Birds of Yemen,' 356; notice of his 'Aves,' in the Zoological Record, 1915, 491.
- Scoter, 153, 462.  
American, 439.  
Surf, 34, 398, 418, 439.  
White-winged, 34, 418, 439.
- Scotiaptex nebulosa nebulosa, 39.
- Scott, W., see Enders, H. E.
- Scoville, Samuel, Jr., the Evening Grosbeak (*Hesperiphona vespertina vespertina*) in southern New Jersey and Pennsylvania, 210.
- Scudder, B. A., notice of his 'Conservation of our Wild Birds,' 101.
- Seiss, C. Few, obituary notice of, 513.
- Seiurus aurocapillus, 61, 272.  
motacilla, 272, 444.  
noveboracensis notabilis, 61, 460.  
n. noveboracensis, 61, 214, 272, 444.
- Selasphorus platycercus, 454.  
rufus, 42.
- Selous, Edmund, habits of the Great Crested Grebe, 110-112.
- Sericornis maculatus hartogi, 104.  
malachurus hartogi, 104.
- Sericotes holosericeus holosericeus, 60.
- Seriema, 294-296.
- Setochoalcis, 203.  
vocifera vocifera,  
v. arizonæ,
- Setophaga picta, 61.  
rutililla, 47, 274, 444.
- Shearwater, Cory's, 438.  
Greater, 438.  
Sooty, 438.
- Shelton, Alfred C., notice of his 'A distributional List of the Land birds of Western Oregon,' 358.
- Shores, E. I., diary of, 356.
- Shorger, A. W., feeding habit of the Sparrow Hawk, 209; notes from Madison, Wisconsin, 219.
- Shoveller, 33, 305, 418, 439.
- Shrike, California, 46.  
Migrant, 89, 214, 304, 464.  
Northern, 46, 217.
- Shufeldt, P. W., nesting of the Chiapas Blue Grosbeak (*Guiraca caerulea chiapensis*), 480.
- Shufeldt, Robert W., notice of his 'Osteology of Palaeornis, with

- other Notes on the Genus,' 97;  
notice of his recent papers on  
fossil birds, 98; notice of his  
'Report on Fossil Birds from  
Vero, Florida,' 357; notice of his  
'Fossil Remains of What Appears  
to be a Passerine Bird from the  
Florissant Shales of Colorado,'  
490.
- Sialia*, *currucoides*, 49.  
    *mexicana occidentalis*, 49.  
    *sialis episcopus*, 236.  
    *s. sialis*, 275.
- Siam, birds of, 99.
- Siskin, 93, 213, 345.  
    Pine, 44, 217, 268, 302, 456, 458.
- Sitta atkinsi littorea*, 182.  
    *canadensis*, 48, 274, 444, 465.  
    *carolinensis*, 182.  
    *c. aculeata*, 48.  
    *c. atkinsi*, 182.  
    *c. carolinensis*, 182.  
    *c. cooki*, 185.  
    *melanocephala*, 182.
- Snipe, Wilson's, 36, 146, 265, 302.
- Sociedad Ornithologica del Plata,  
379.
- Solitaire, Townsend's, 49, 217.
- Somateria spectabilis*, 408, 440.  
    *v-nigra*, 398, 408.
- Sora, 36, 301, 462.
- South African Ornithologists' Union,  
notice of 'Journal', 104.
- South America, birds of, 100.
- 'South Australian Ornithologist,  
The' noticed, 104, 235, 364.
- South Carolina, 20, 346.
- Sparrow, Aleutian Savannah, 44.  
    Bachman's, 212, 299.  
    Chipping, 268, 299, 443.  
    English, 479.  
    Forbush's, 45.  
    Fox, 158, 217, 304.  
    Gambel's, 158.  
    Golden-crowned, 45, 401.  
    Grasshopper, 299.
- Sparrow, Harris's, 45, 219.  
    Henslow's, 301, 443, 456.  
    Intermediate, 45.  
    Ipswich, 146, 443.  
    Kadiak Fox, 43.  
    Leconte's, 301, 464.  
    Lincoln's, 45, 146, 268, 443.  
    Nelson's, 341.  
    Oregon Vesper, 44.  
    Rusty Song, 45.  
    San Lucas, 340.  
    Savannah, 146, 268, 302, 443.  
    Seaside, 443.  
    Shumagin Fox, 45, 401.  
    Slate-colored Fox, 46.  
    Song, 146, 268, 304, 459.  
    Sooty Song, 45.  
    Swamp, 146, 268, 304.  
    Townsend's Fox, 45.  
    Tree, 159.  
    Vesper, 268, 302, 443.  
    Western Lark, 45.  
    Western Savannah, 44, 401,  
        410.  
    Western Tree, 158.  
    White-crowned, 268, 301, 403.  
    White-throated, 304, 390.
- Spatula clypeata*, 33, 439.
- Speotyto cunicularia*, 227.  
    *c. hypogæa*, 40, 454.
- Spermospiza*, 348.
- Sphyrapicus ruber notkensis*, 41.  
    *thyroides nataliæ*, 360.  
    *varius varius*, 266, 442.
- Spinus pinus*, 44, 93, 217, 268, 456,  
458.
- Spizella monticola ochracea*, 45.  
    *passerina arizonæ*, 45.  
    *p. passerina*, 268, 443.
- Sporathraupis cyanocephala hypophæa*, 503.
- Sporophila lineola restricta*, 503.
- Squatarola squatarola*, 37, 265,  
441.
- Starling, 101, 338.
- Steganopus tricolor*, 36, 440.

- Stelgidopteryx serripennis*, 46, 455, 456, 460.  
*Stercorarius longicaudus*, 32, 396, 407.  
    *parasiticus*, 396.  
*Sterna albigena*, 96.  
    *anæthæta*, 199.  
    *antillarum*, 438.  
    *a. browni*, 199.  
    *caspia*, 139.  
    *dougalli*, 86, 438.  
    *fuscata*, 199, 206.  
    *maxima*, 58, 418.  
    *paradisæa*, 397, 407.  
    *repressa*, 96.  
*Sternula*, 199.  
    *antillarum antillarum*, 199.  
    *a. browni*, 199.  
*Stilt*, Black-necked, 418.  
*Stoddard*, H. L., notes on a few of the rarer birds of Sauk and Dane counties, Wisconsin, 63-67; the Roseate Tern (*Sterna dougalli*) on Lake Michigan, 86; rare winter visitants in northern Indiana, 487.  
*Stone*, Witmer, subspecific designations, 373.  
*Streptoceryle*, 202.  
    *alcyon alcyon*, 202.  
    *a. caurina*, 202.  
    *torquata torquata*, 202.  
*Streptoprocne zonaris melanotis*, 98.  
*Strix occidentalis caurina*, 39.  
    *o. huachuæ*, 205.  
    *o. lucida*, 205.  
*Strong*, R. M., an improved observation tent, 290-293.  
*Sturnella magna*, 419.  
    *neglecta*,  
    *n. confuenta*, 68-70.  
    *n. neglecta*, 69.  
*Sturnus vulgaris*, 101.  
*Styer*, Mrs. Katharine R., obituary notice of, 241.  
*Sula bassana*, 438.  
    *dactylatra californica*, 467.  
    *leucogastra*, 56.  
*Surnia ulula caparoch*, 40.  
    *u. pallasi*, 202.  
    *u. ulula*, 202.  
*Swallow*, Bank, 46, 268, 302, 401, 464.  
    Barn, 46, 159, 268, 302, 401, 402.  
    Cliff, 46, 268, 302.  
    Rough-winged, 46, 299, 455, 456, 460.  
    Tree, 46, 158, 268, 302, 456, 464.  
    Violet-green, 46.  
*Swan*, Trumpeter, 35.  
    Whistling, 35, 408, 440.  
*Swarth*, Harry S., a revision of the Marsh Wrens of California, 308-318; notice of his field work in Arizona, 380.  
*Swift*, Black, 41, 454.  
    Chimney, 267, 299, 337.  
    Vaux's, 41.  
*Sylvia norrisæ*, 362.  
*Synallaxis candaei*, 503.  
    *terrestris bolivari*, 362.  
  
*TACHYCINETA thalassina lepida*, 46.  
*Tachyphonus luctuosus panamensis*, 503.  
*Tanager*, Scarlet, 268, 302, 459.  
    Summer, 299.  
    Western, 46.  
*Tatler*, Wandering, 155.  
*Taverner*, P. A., subspecific designations, 370.  
*Taylor*, Warner, Kirtland's Warbler, in Wisconsin, 343.  
*Teal*, Blue-winged, 33, 301, 418.  
    Cinnamon, 33, 207.  
    Green-winged, 33, 154, 207, 302, 398, 408, 418, 439.  
*Telespiza cantans*, 70.  
    *ultima*, 70-72.

- Telmatodytes palustris æstuari-*  
*nus*, 310.  
*p. paludicola*, 48.  
*p. palustris*, 444.  
*p. plesius*, 314.  
*Tern*, Aleutian, 148.  
   Arctic, 152, 397, 407.  
   Black, 32, 301, 462.  
   Caspian, 139.  
   Common, 265, 462.  
   Least, 438.  
   Roseate, 86, 438.  
   Royal, 58, 139, 418.  
   Sooty, 206, 305.  
*Terpsiphone nigra*, 216.  
   *owstoni*, 216.  
   *princeps*, 216.  
*Tetrastes bonasia amurensis*, 235.  
   *b. kolymensis*, 235.  
   *b. ussuriensis*, 235.  
   *b. volgensis*, 235.  
*Textor*, 347.  
*Textoridae*, 347.  
*Thalasseus*, 198.  
   *elegans*, 199.  
   *maximus*, 199.  
   *sandvicensis acufavidus*, 199.  
*Thalassornis*, 228.  
*Thayer*, A. H., concealing coloration, 240, 508.  
*Thayer*, Gerald H., Hudsonian Chickadee on Long Island, 345.  
*Thlypopsis fulviceps intensa*, 503.  
*Thorburn*, A., notice of his 'British Birds,' 221.  
*Thorne*, Samuel, obituary notice of, 378.  
*Thrasaëtus harpyia*, 454.  
*Thrasher*, California, 419, 427.  
   Pearly-eyed, 61.  
   Sage, 91, 455.  
*Thrush*, Alaska Hermit, 49, 92, 402.  
   Bicknell's, 302.  
   Dwarf Hermit, 49.  
   Gray-cheeked Thrush, 144, 159, 302.  
   Thrush, Hermit, 275, 304, 419.  
     Olive-backed, 275, 302.  
     Russet-backed, 49.  
     Sierra Hermit, 49.  
     Wilson's, 302.  
     Wood, 299, 444.  
     Varied, 49.  
*Thryomanes bewicki bewicki*, 456.  
   *b. calophonus*, 48.  
*Thryospiza*, 504.  
*Thryothorus ludovicianus ludovicianus*, 464.  
*Thyellodroma cuneata*, 475.  
   *bulleri*, 471, 475.  
*Tiaris bicolor*, 95.  
   *b. expectata*, 95.  
   *b. omissa*, 62.  
   *olivacea bryanti*, 62.  
*Todd*, W. E. Clyde, notice of his 'New Birds from Colombia and Bolivia,' 224; notice of his expedition to Labrador, 379.  
*Totanus ambiguus*, 202.  
   *flavipes*, 37.  
   *melanoleucus*, 37, 265.  
*Towhee*, 304.  
   Oregon, 46.  
*Townsend*, Charles W., in Audubon's Labrador, 133-146; the Labrador Chickadee in a southward migration, 160-163; notice of his 'Bird Conservation in Labrador,' 99.  
*Toxostoma redivivum*, 419, 427.  
   *r. pasadenense*, 427.  
   *r. sonomæ*, 427.  
*Tringa aurita*, 200.  
   *canutus*, 36, 200, 440, 462.  
   *oahuensis*, 200.  
   *rufa*, 200.  
*Troglodytes aëdon parkmani*, 48, 457.  
*Trogon collaris*, 202.  
*Trogonurus ambiguus ambiguus*, 202.  
*Tropic-bird*, Red-billed, 56.

- Tropic-bird, Yellow-billed, 56.  
*Tryngites subruficollis*, 37, 441.  
 Turkey, Merriam's, 453.  
 Turnbull, W. P., notice of, 358.  
 Turnstone, Black, 155, 399.  
     Pacific, 409.  
     Ruddy, 37, 58, 155, 441, 463.  
 Tyler, W. M., a roosting place of  
     fledgling House Wrens, 485.  
*Tyrannus dominicensis dominicensis*, 60.  
     *melancholicus satrapa*, 204.  
     *tyrannus*, 42, 209, 267, 386.  
     *verticalis*, 42.
- UNIVERSITY of Michigan Summer  
 School, announcement, 242.  
 U. S. Biological Survey, recent pub-  
     lications noticed, 232.  
*Uranomitra*, 203.  
     *salvini*, 203.  
*Uria lomvia arra*, 406.  
     *troile californica*, 406.  
*Urobrachya*, 348.
- VARICH, William R., a Mocking-  
 bird in New Hampshire, 91.  
 Veery, 389, 457.  
 Venezuela, birds of, 95.  
*Vermivora celata celata*, 11-27, 47,  
     220, 342.  
     *c. orestera*, 325.  
     *chrysoptera*, 67.  
     *lawrencei*, 465.  
     *leucobronchialis*, 465, 481.  
     *peregrina*, 270, 444, 456, 460,  
         464, 484.  
     *pinus*, 24, 67, 444.  
     *rubricapilla, gutturalis*, 50.  
     *r. rubricapilla*, 214, 269.  
 Vermont, birds of, 166-167, 341.  
*Vireo*, Anthony's, 47.  
     Blue-headed, 269, 299, 443.  
     Cassin's, 47.  
     Jamaican, 61.  
     Philadelphia, 89, 268, 443.  
     Vireo, Red-eyed, 46, 299.  
         Western Warbling, 47.  
         White-eyed, 299.  
         Yellow-throated, 299.  
*Vireo belli arizonæ*, 322.  
     *crassirostris tortugæ*, 493.  
     *huttoni obscurus*, 47.  
     *josephæ mirandæ*, 362.  
*Vireosylva gilva swainsoni*, 47.  
     *calidris calidris*, 61.  
     *olivacea*, 46.  
     *philadelphica*, 89, 268, 443.  
 Virginia, birds of, 22, 74.  
 Vulture, Black, 478.  
     Turkey, 37, 442.
- WAGTAIL, Alaska Yellow, 159, 410  
 Walton, W. R., notice of recent  
     economic papers by, 230.  
 Warbler, Alaska, Yellow, 47, 402.  
     Audubon's, 47.  
     Bachman's, 305.  
     Bay-breasted, 214, 270, 302,  
         464, 484.  
     Black-throated Blue, 214, 270,  
         302, 391.  
     Black-throated Gray, 47.  
     Black-throated Green, 187, 302.  
     Black-poll, 138, 271, 302, 484.  
     Black and White, 269, 299, 464.  
     Blackburnian, 67, 187, 214, 302,  
         484.  
     Blue-winged, 24, 67, 302, 444.  
     Brewster's, 302, 465, 481.  
     Cairns's, 187.  
     Calaveras, 50.  
     Canada, 214, 274, 302, 344, 464.  
     Cape May, 70, 191, 214, 217,  
         302, 343, 410-413, 443, 464,  
         483, 484.  
     Cerulean, 67, 302.  
     Chestnut-sided, 190, 302, 387.  
     Connecticut, 302.  
     Golden Pileolated, 47.  
     Golden-winged, 67, 302.  
     Hooded, 299, 464.

- Warbler, Kennicott's Willow, 159.  
     Kentucky, 67, 299.  
     Kirtland's, 343.  
     Lawrence's, 465.  
     Macgillivray's, 47.  
     Magnolia, 190, 270, 302, 444.  
     Myrtle, 47, 63, 190, 270, 304, 389, 464.  
     Nashville, 24, 191, 214, 269, 484.  
     Northern Parula, 62, 214, 270, 390, 484.  
     Orange-crowned, 11-27, 47, 220, 342.  
     Palm, 170, 187, 217, 444.  
     Parula, 299.  
     Pileolated, 47, 402.  
     Pine, 464.  
     Porto Rican, Yellow, 62.  
     Prairie, 61, 299, 460.  
     Prothonotary, 66, 299.  
     Tennessee, 270, 302, 444, 456, 460, 464, 484.  
     Townsend's, 47, 455.  
     Wilson's, 89, 273, 302, 444.  
     Worm-eating, 299, 444, 464.  
     Yellow, 299, 385, 484.  
     Yellow Palm, 444.  
     Yellow-throated, 299, 304, 343, 373.  
 Warblers, North American, 349, 484.  
 Washington, birds of, 68-70, 195, 212, 217, 422.  
 Water-Thrush, 61, 214, 272, 302, 444, 484.  
     Grinnell's, 61, 460.  
     Louisiana, 272, 299, 444.  
 Waxwing, Bohemian, 46, 66, 212, 341, 455.  
     Cedar, 46, 213, 268, 455.  
 Wayne, Arthur T., notice of his 'A List of Avian Species for which the Type Locality is South Carolina,' 346.  
 Welles, C. S., obituary notice of, 513.  
 Wells, Thomas, see Peavot, Henry.  
 West Virginia, birds of, 225.  
 Wetmore, Alexander, the birds of Culebra Island, Porto Rico, 51-62; notice of his 'On Certain Secondary Sexual Characters in the Male Ruddy Duck, *Erismatura jamaicensis* (Gmelin),' 228.  
 Whip-poor-will, 267, 299.  
 Widgeon, European, 408, 439.  
 Williams, Belle, notice of her 'Decrease of Birds in South Carolina,' 102.  
 Wilmot, N. E., Mockingbird at West Haven, Conn., 215; English Sparrow (*Passer domesticus*) feeding on the larvæ of the Elm tree beetle, 479.  
 Wilson, Alexander, 277.  
     'Wilson Bulletin, The,' reviewed, 102, 234, 360.  
 Wilsonia canadensis, 214, 274, 344, 464.  
     citrina, 464.  
     pusilla chryseola, 47.  
     p. pileolata, 47, 402.  
     p. pusilla, 89, 273, 444.  
 Windle, Francis, obituary notice of, 512.  
 Wisconsin, birds of, 63-67, 219, 343.  
 Witherby, H. F., coloration of down in adult ducks, 369.  
 Wood, Casey A., review of his 'The Fundus Oculi of Birds,' 350.  
 Woodpecker, Alaska Three-toed, 41.  
     Arctic Three-toed, 266.  
     Downy, 266, 345, 388.  
     Gairdner's, 41.  
     Harris's, 41.  
     Lewis's, 41.  
     Northern Hairy, 40, 266.  
     Northern Pileated, 41, 65, 267.  
     Red-bellied, 66, 219.  
     Red-cockaded, 305.  
     Red-headed, 442, 463.  
     Rocky Mountain Hairy, 41.



- Woodpecker, Texan, 454.  
Three-toed, 266.
- Wren, Bewick's, 304, 456.  
Carolina, 464.  
House, 90, 302, 485.  
Long-billed Marsh, 302, 444.  
Rock, 48.  
Seattle, 48.  
Short-billed Marsh, 302, 465.  
Tule, 312.  
Western House, 48, 457.  
Western Winter, 48.
- Wright, A. H., see Bishop, S. C.
- Wright, Horace W., the Orange-crowned Warbler as a fall and winter visitant in the region of Boston, Massachusetts, 11-27; Labrador Chickadee (*Penthestes hudsonicus nigricans*) in Boston and vicinity in the fall of 1916, 164-170; Bittern (*Botaurus lentiginosus*) in a phenomenal position at Boston, Mass., 476.
- Wright, Samuel, obituary notice of, 240.
- XANTHOCEPHALUS xanthocephalus, 43.
- Xema sabini, 407.
- Xeocephus, 216.
- Xiphocolaptes obsoletus, 225.  
major obscurus, 225.  
m. saturatus, 225.  
procerus rostratus, 224.
- YELLOW-LEGS, 37, 301.  
Greater, 37, 265, 301.
- Yellow-throat, Maryland, 139, 273, 299, 385, 444.  
Pacific, 47.
- Yemen, birds of, 356.
- Youngstown, Ohio, bird preserve at, 379.
- ZAMELODIA ludoviciana, 443.  
melanocephala, 46.
- Zenaida zenaida lucida, 59.
- Zenaidura macroura carolinensis, 37, 442.
- Zonotrichia albicollis, 390.  
coronata, 45, 401.  
leucophrys gambeli, 45.  
l. leucophrys, 268, 463.  
querula, 45, 219.

## ERRATA.

- Page 33, line 35, for **vallisineria** read **valisineria**.  
" 40, " 31, for **PIGMY** read **Pygmy**.  
" 49, " 16, for *nanus* read *nana*.  
" 66, " 37, for *garrulus* read *garrula*.  
" 89, " 1, for *C. v. gundlachii* read *C. m. gundlachii*.  
" 136, " 10, for "Bec-sie" read "Bec-scie."  
" 155, " 18, for northward read southward.  
" 235, " 37, for *Cetrastes* read *Tetrastes*.

## DATES OF ISSUE.

- Vol. XXXIII, No. 4 — October 11, 1916.  
" XXXIV, No. 1 — January 2, 1917.  
" XXXIV, No. 2 — March 31, 1917.  
" XXXIV, No. 3 — June 30, 1917.

